

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name EL NOPAL (FK)	Telephone Number Est 812-921-9999 Own (502) 457-8630	Date of Inspection 05/24/2022	ID#
Address 500 LAFOLETTE STATION, FLOYDS KNOBS IN 47119			
Owner ELIAS ROMAN/EL NOPAL	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 05/31/2022	Released 05/24/2022
Owner's Address 1212 DANT DRIVE GEORGETOWN, IN 47122		Menu Type 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input checked="" type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge DANIEL MARTINEZ			
Responsible Person's Email MARLONCARRILLO958@GMAIL.COM			
Certified Food Handler MARLON ENRIQUE CARRILLO V			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
191	X		X	Observed several cooked foods in the walk-in cooler to not have a date mark. The cook stated they were made yesterday and usually last 3 days. If a cooked food lasts more than 24 hours it should be dated.	today
415	X		X	Observed flying insects (gnats) in warewash area near bus tubs.	5-31-22
438	X		X	Observed 2 spray bottles without labels. All spray bottles should be labeled.	today
177		X		Observed uncovered steak in walk-in freezer.	corrected
245		X		Observed wet sanitizer cloth left on prep table. Clothes used to wipe down surfaces should be returned to the sanitizer bucket. If a cloth is used for a spill it should be placed in laundry bag afterwards.	corrected
295		X		Observed dried food debris on can opener.	today
297		X		Observed the drink machine cabinet in kitchen to be in need of cleaning.	1 day
343	X			Observed the handwashing sink in warewash area removed from the wall for repair.	1 day
324		X		Observed the handwashing sink near prep line to be leaking.	3 days
310		X		Observed buildup of dust on exhaust fans in both restrooms.	1 day
411		X		Observed light bulbs out in kitchen. Each light fixture should have 3 working bulbs. Measured lighting on prep line at 20-30 footcandles. 70 footcandles are required in areas of food preparation.	5-31-22

Summary of Violations C 4 NC 7 R 3

Received by (name and title printed):	Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):	Inspected by (signature): <i>Thomas Snider</i>
cc:	cc: